


Server settings

In this section, various aspects of the server behavior can be configured and controlled.



Email settings

Server Settings

Home > Server settings

Email Settings

User settings

Password generation

LDAP Settings

OAuth Settings

Installation History

Use Two Factor Authentication

☐

The name of the two factor authentication

PMA Core

Email Address

info@pathomation.com

This address will show up as the sender of the emails

Send emails using

SendGrid

SendGrid Api Key

SG.D6gWRL_7HRqOXcn7pFRDataJGut

Save

Clear settings

Test email

Mail log

Mail log

Mail Log

Time	Username	Description
5/25/2021, 11:59:09 AM	korinna	Mail sent with subject: PMA control - Registration Successful
6/7/2021, 2:01:03 PM	charlotte	Mail sent with subject: Password Reminder
7/12/2021, 12:36:02 PM	charlotte	Mail sent with subject: Password Reminder
8/9/2021, 9:58:10 AM	wordpress	Mail sent with subject: Password Reminder
2/16/2022, 3:14:50 PM	veerle	Mail sent with subject: Password Reminder

Showing 1 to 5 of 5 entries

Previous1Next

User settings

User Settings

Home > User settings

Email Settings

User settings

Password generation

LDAP Settings

OAuth Settings

Installation History

Max invalid login attempts before lock out

5

Automatically lift lock out after (seconds)

5

Allow duplicate emails

☒

Force change password after days

0

Use 0 to disable

Password must be different from the last used

0

Use 0 to disable

Save

Password generation

Password generator Settings

Home > Password settings

Email Settings

User settings

Password generation

LDAP Settings

OAuth Settings

Installation History

Case

Lower

☐

Upper

☐

Mixed

☒

Any

☐

Length

8

Include letters

☒

Include numbers

☒

Include special characters

☐

Save

LDAP settings

LDAP Settings

Home > LDAP settings

Email Settings

User settings

Password generation

LDAP Settings

OAuth Settings

Installation History

Use LDAP

☐

LDAP Server

LDAP Root

LDAP Username

LDAP Password

Save

+ Add new LDAP server

Add new LDAP server

Add new LDAP Server

LDAP Server

LDAP distinguished name

Username

Password

Save

Back to List

OAuth settings

OAuth Settings

Home

OAuth settings

Email Settings

User settings

Password generation

LDAP Settings

OAuth Settings

Installation history

Callback URL: <https://localhost:3000/oidc/callback>

ClientName	Client Grant Type	Client Public Key	Auth url	Token url	Client	
Wentley Server	sub		https://localhost:3000/oidc/callback	https://localhost:3000/oidc/callback	PIDScore	

+ Add new OAuth server

Add new OAuth server

Add new OAuth Server

Name

Public Key

The Public Key field is required

User Id claim

The User Id claim field is required

Auth Url

Token Url

Client Id

Client Secret

Leave empty if no client secret is required for code to token exchange

Callback Url

<https://localhost:3000/oidc/callback>

Save

Back to List

Installation history

Installation History							
Home > Installation History							
Global Settings	User settings	Parameter generation	UI/UX Settings	Default Settings	Installation History		
Date	Version	API Version	PMA UI Version	License	Database	Request code	License change date
2022/03/28 17:38 PM	2.0.2.2022	1.3.8	2.16.0	☒	db	1648486308	
2022/03/28 9:29 AM	2.0.1.2022	1.3.8	2.16.0	☐		1648486308	
2022/03/28 9:28 AM	2.0.1.1902	1.3.8	2.16.0	☐		1648486308	

From:

<https://docs.pathomation.com/pma.core/2.0/> - **PMA.core 2.x**

Permanent link:

https://docs.pathomation.com/pma.core/2.0/doku.php?id=settings_server&rev=1648486308

Last update: **2022/03/28 19:51**

